



# AC microLine® 2000

DOUBLE-SIDE BATCH PROCESSING MACHINE









## POWERFUL. VERSATILE. DURABLE

- Designed for high-precision series processing of work pieces
- Suited for fine grinding, lapping and polishing
- Optimum surface quality, flatness, thickness tolerance and plane parallelism with tightest tolerances on the work piece

### ALWAYS PERFECTLY EQUIPPED





#### HIGHLIGHTS AC microLine® 2000

- Fast and ergonomic loading and unloading
- Upper working wheel can swivel out for total access to the process area
- Extreme temperature stabilization over the tool surface
- User friendly, intuitive operation
- Excellent machining results and precision
- Low operating costs
- Individual process development
- Easy to maintain
- High-precise non-contact measuring control
- Powerful drive technology
- High-precise pneumatic load system
- High production reliability
- Stable cast iron base frame
- Siemens PLC Control and Siemens KP1200 Comfort Panel
- Remote maintenance solution RangeCare® via mobile communications or VPN



Media supply



Measuring anvil, inner pin ring and segmented grinding wheel



Work piece carrier load assistance of the AC 2000-F

TECHNICAL DATA	AC microLine® 2000	
VERSION	F	L, P
Wheel diameter [mm]	1800	1809 / 1935
Ring width [mm]	551	560 / 686
Max. load pressure [daN]	4000	4000
Upper/lower drive power [kW]	72	46
Upper/lower drive speed [rpm]	93	40
Center drive power [kW]	7.5	7.5
Center drive speed [rpm]	50	50
Outer drive power [kW]	./.	7.5
Outer drive speed [rpm]	./.	7.5
Working wheel cooling	wheel cooling	wheel cooling
Machine dimensions [H×W×D] [mm]	3050×3450×3500	3050×3450×3500
Machine weight without switch cabinet [kg]	19500	19500
Max. work piece thickness [mm]	200	200
Max. work piece diameter [mm]	600	600

### **GET IN TOUCH WITH US TODAY**

TOGETHER WE WILL FIND A SOLUTION FOR YOUR REQUIREMENTS

#### LAPMASTER WOLTERS GMBH

Phone: +49 4331 458 0 ac@lapmaster-wolters.de www.lapmaster-wolters.de

08-2019

WE RESERVE THE RIGHT FOR TECHNICAL CHANGES!