

India's leading Manufacturers and Exporters of Premium Quality Veterinary Health Care Specialities.... with INTERNATIONAL STANDARDS

> Manufactured in India by : International Health Care Limite



ANIMAL HEALTH CARE DIVISION Kohinoor Apts., Kalanagar, Near Benz Circle, Vijayawada-520 010, A.P., INDIA. Customer Care : +91 866 2497449, 2476577 Website: www.internationalhealthcare.in Factory: 54-3-14/A, Opp.Telephone Exchange, Phase III, Autonagar, Vijayawada-7, A.P.

PROCILAC

Probiotic with Dextrose Specially Designed for Pig

Composition: Eack Kg Contains:

Mixed probiotic concentrate: 2x108 cfu

(Lactobacillus plantarum, Lactobacillus bulgaricus, Lactobacillus rhamnosus, Lactobacillus Bifidobacterium bifidum, acidophilus, Streptococcus thermophilus, Enterococcus faecium, Aspergillus oryzae, Candida pintolopesii)

Dextrose: 900 gm

Advantages :

- Maintains the microflora in the digestive tract.
- Improves the feed efficacy & improves digestion.
- It promotes the growth.
- Prevents the diarrhea.
- It helps to reduce stress.

Administration: In feed:

Suckling piglets: 2 gm per animal per day or 1500 gm per ton of feed.

Weaned pigs / Sows / Finishers: 2 gm per animal per day or 750 gm per ton of feed. (or) as advised by a veterinarian

Presentation: 100 gm, 1 kg, 5 kg.



STRESIN-P For pig

To Prevent Heat Stress & Dehydration

Composition: Each kg contains:

Ascorbic acid	: 10,000 mg
Taurine	: 10,000 mg
Methionine	: 10,000 mg
Sorbitol	: 35,000 mg
Glucose	: Q.S.

Advantages :

- Prevents heat stress and dehvdration.
- Improves growth rate, Reduces stress & mortality.
- Improves the immunity.
- Increases the absorption with enhanced feed & water consumption.

FATCAL For pig & Poultry

Medium Chain Fatty Acid

Composition: Each Kg contains:

MCFA (Medium chain fatty acid)	: 20%
Calcium formate	: 20%
Excipients	: Q.S.

Advantages:

- Improves the feed intake.
- Improves the health & production and reduces the colonization of gut pathogens.
- Improves the digestion at optimal level.

For piglets & Calves

To Stimulate Immune System

To outifulate infiniture oystem					
Composition: Each 10 gm powder contains:					
Vitamin A	: 5000 IU				
Vitamin D ₃	: 4000 IU				
Vitamin C	: 200 mg				
Vitamin E	: 2.5 mg				
Selenium oxide	: 60 mcg				
Organic Chromium	: 20 mcg				
Zinc sulphate	: 20 mg				
Copper sulphate	: 12 mg				
Saccharomyces cerevisiae	: 2 gm				
Tinospora Cordifolia	: 100 mg				

It activates the liver functions & prevents the fatty liver.

Improves the metabolic functions.

Administration: In drinking water : For 5-7 days: Piq:

Sow: Dilute 30 gm "STRESIN-P" per animal in drinking water and administer once a day for 1-2 days.

Piglet: Dilute 20 gm "STRESIN-P" per 10 animals in drinking water and administer twice a day for 2-3 days.

Weaning pig: Dilute 60 gm "STRESIN-P" per 10 animals in drinking water and administer twice a day for 2 days. (or) as advised by veterinarian.

Presentation: 1 kg.



Administration:

In feed : Swine & Poultry : (or) as advised by a veterinarian



Presentation: 1kg, 5 kg, 10 kg.

Advantages:

- It stimulates the immune system.
- It reduces the stress.
- Essential Vitamins & minerals, help to improve the animal health.
- Better result in vaccination management.

Administration:

Piglets : 5-10 gm per day orally. Calves : 10-15 gm per day orally. (or) as advised by a veterinarian.

Presentation: 1 kg.



For general administration: 1 Kg per ton of feed for 2-3 weeks. For intensive administration: 2 Kg per ton of feed for 2-3 weeks.

ALLICIN-P For pig & Cattle

Natural Additive to Improve performance in Cattle & Pigs

Composition: Each 1 kg contains:

Garlic powder	: 50,000 mg
Vitamin E	: 2000 mg
Vitamin A	: 100,000 IU
Saccharomyces cerevisiae	: 2x10 ⁸ CFU
Bacillus subtilis	: 2X10 ⁸ CFU

Advantages :

- It has unique garlic flavor that makes livestock to optimise the feed intake.
- It reduces the reproductive disorders and increases milk yield.

POLY-MIX FORTE

Concentrated Tocopherol with Vitamin B1 for Poultry, Pig & Cattle

Composition: Each kg contains:

DL-alpha-Tocopherol Acetate	: 100,000 IU
Vitamin B ₁	: 3,000 mg
Immune	
Polysaccharide GST-321	: 5000 mg
Excipients	: Q.S.

Advantages:

- Prevents encephalomalacia & breeding disorders.
- Helps for early weaning and growth promotion.

D-BRACHY

Herbal Solution to Control all Types of Diarrhea

Composition: Each 1kg contains		
Light Kaolin	:	333 g
Tinospora cordifolia	:	180 g
Holarrhena antidysenterica	:	100 g
Punica granatum extract	:	60 g
Cyperus rotundus	:	58 g
Acacia catechu	:	58 g
Aegle marmelos extract	:	50 g
Woodfordia fruiticosa extract	:	42 g
Polygonum aviculare	:	25 g
Berberis aristata extract	:	20 g
Andrographis paniculata extract	:	16 g
Symplocos racemosa extract	:	16 g
Zingiber officinale	:	11 g

ANTI-MAX

To Improve Reproductive System in Cattle & Swine

Composition:

Each 1 kg contair	ns:	
Beta -carotene	:	2000 mg
Vitamin E	:	1000 mg
Selenium	:	50 mg
Excipients	:	Q. S.

Advantages:

- It improves the libido of the animal.
- Improves the conception rate.
- Reduces the interfarrowing period.

- Improves appetite of the animal, increases feed intake b & nutrients absorption rate.
- It contains allicin that increases nutrient utilization. Activates the endocrine organs to make animal active
- & healthy.
- Improves general health & productivity of the animal. Improves the resistance power against diseases.
- Strengthen the immune system. D

Administration: In feed : Swine : Grower/ Finisher : 1 kg per ton of feed Piglets: 1.5-2 kg per ton of feed.

Cattle :

Adult: 2-2.5 kg per ton of feed. Calf : 1-1.5 kg per ton of feed. (or) as directed by veterinarian.

Presentation: 1 kg, 25 kg.

hatchability.

diathesis.

or 10 kg feed.

Poultry:

an interior date



Presentation: 100 gm, 1 kg.

Pig: 0.5 to 1.5 gm per animal daily. Cattle: 5 to 7.5 gm per animal daily.

(or) as advised by a veterinarian.

Salmaliamal abarica extract : 10 g Excipients : q.s.

Benefits:

- 100% Natural compound.
- No residue and withdrawal period.
- Effective control of dysentery, ileitis, necrotic enteritis and non-specific diarrhea in pigs and poultry.

Indications:

Target animals: pig, calf, poultry, duck. Pig: Dysentery, Ileitis and non-specific diarrhea Poultry: Necrotic enteritis and non-specific diarrhea Calf: Bacterial and/or non-specific diarrhea

Dosage and administration:

Administer 1-2 kg per ton of feed according to the severity of diarrhea

Presentation: 1 kg.

- Prevents the cystic ovary.
- Prevents the abortion & still-birth.
- Prevents the postpartum retention of plesenta.

Administration:

Swine: In feed: 25-150 gm per metric ton of feed per animal per day. (as per the requirement & the health condition of the animal)

Cattle:

Drying dairy cow & Heifer: 25-100 gm per animal per day. (or) as advised by a veterinarian.



interactions. Next second ray of profile in

Presentation: 1kg.

MAGNICAL For pig, Poultry & Cattle

Water Soluble Liquefied Calcium with Vitamin D

Composition: Each litre contains:					
Vitamin D ₃	:	100000 IU			
Calcium	:	32.4 gm			
Phosphors	:	15.7 gm			
Magnesium	:	14.6 gm			
Excipients	:	Q.S.			

Advantages:

- Prevents the calcium deficiency by absorbing highly concentrated & bioavailable calcium.
- Prevents Vitamin D deficiency.
- Reduces stress in the birds.

MENA VIT [WS] For pig & Poultry

Vitamin K3 - Haemostatic for Pig, poultry & Cattle

Composition: Each 1 litre contains:Menadion Sodium Bisulfite: 80 gmExcipients: Q.S.

Advantages:

Helps to coagulate the blood rapidly and controls haemorrhages.

Swine: Coccidiosis, Necrotic enteritis, Salmonellosis, Swine dysentery, Gastric ulcer etc. Poultry:Coccidiosis,Necrotic enteritis, Salmonellosis, Colibacilosis, ND, IB, IBD, ILT etc.

Improves the egg production & egg quality.

It reduces the drip-loss.

Administration :

Pigs (adult): 15 ml / animal / day for 10 days. Piglets: 1 ml in 1 litre of drinking water for 10 days. Poultry: In drinking water: Preventive purpose:

1 ml per 1 litre drinking water for 5 days. Therapeutic use:

2 ml per 1 litre drinking water for 5 days. **Cattle:** 20 ml / animal / per day for 10 days. **Calf:** 20 ml / calf /per day once in a week (5 days treatment)

Presentation: 5 ltr.

Bovine : HS. Coccidiosis etc.

Administration: Orally: Swine: Drinking water:

Poultry: Drinking water:

Prevents & treats Vitamin K deficiency.

1 ml to 2 litre of water for 3-21 days.

1 ml per 2 litre of water for 3-21 days.

days. (or) as advised by a veterinarian.

Bovine: 2.5 ml per 25-35 kg body weight for 3-21





TINO-MAX

Presentation: 1 Ltr.

TINO-MAX For pig, Poultry & Cattle

: 1000 mg

: 1000 mg

: 500,000 IU

:100,000 IU

: 1000 mg

: 2000 mg

: 3000 mg

: 50 mcg

Performance Enhancer

Each 1 litre contains:

Composition:

Vitamin B₁

Vitamin B₆

Vitamin B₁₂

Vitamin A

Vitamin D

Vitamin E

Excipients

DL Methionine

Lvsine

- Improves the health & enhances the performance.
- Stimulates the immune system.
- Reduces the stress.

Advantages :

- Essential Vitamins & minerals-improve the animal health.
- Better result in vaccination management.

Administration: Poultry (in drinking water): 1 ml /1 litre drinking water/ day-till improvement. Pigs/Cattles: Adults: 25 ml / animal / day - till improve-ment. Young animals:10 ml / animal / day - till improvement. Growing animals: 15 ml / animal / day - till improvement.

(or) as advised by a veterinarian.

Presentation : 1 Ltr.

DILATIN

Tinospora cordifolia : 200 mg

For the Respiratory diseases in Poultry & Pigs

: Q.S.

Composition: Each	1	litre contains:
Bromhexine HCI	:	10,000 mg
Glycyrrhiza glabra	:	3%
Potassium tartrate	:	100 mg
Excipients	:	Q.S.

Advantages : Treats & prevents the respiratory diseases like pneumonia, bronchopneumonia, bronchitis, rhinitis, laryngitis, pharyngitis, tonsilitis etc in chicken & swine.

Administration: In drinking water: Poultry & Swine: 0.5 ml of "DILATIN" per 1 litre of drinking water daily for 7 days. (or) as advised by a veterinarian.

Precautionary note: Do not use when animal suffering with gastric ulcer .

Withdrawal period: Poultry: 5 days, Pigs: 7 days.



Presentation : 1Ltr.

ACIDOL

A Perfect Acidifier for Poultry & Piglets

Composition:

Each 1 litre contains:	
Phosphoric acid	: 50,000 mg
Citric acid	: 50,000 mg
Lactic acid	: 25,000 mg
Cupric Sulphate Hydrate	: 10,000 mg
Excipients	: Q.S.

Advantages:

It makes the gastrointestinal tract of animal - Acidic hence it reduces the proliferation of the pathogenic intestinal bacteria.

- Improves the feed efficiency, digestion & growth.
- Prevents the dietary diarrhea.
- Improves the FCR & increases the body weight.

Administration : In drinking water: Piglets & Poultry: Dilute at ratio of 1ml of "ACIDOL" per 1 litre of drinking water for 3 consecutive days. (or) as advised by a veterinarian.

Presentation: 1 ltr., 5 Ltr.

ACIDOL

Y-MINTH

For pig, Poultry & Cattle

Yest Culture Feed Supplement for Cattle, Poultry & Pigs

Composition: Each kg contains:

Saccharomyces cerevisiae	:	1x 10 ⁹ CFU
DL methionine	:	1000 mg
L-lysine	:	1000 mg
Vitamin A	:	100000 IU
Excipients	:	Q. S.

Advantages :

Improves digestion & increases feed absorption rate.

- Increases the feed efficiency.
- Decreases the pathogenic growth and controls the diarrhoea.
- Maintains beneficial bacteria in the digestive region therefore improves digestion/absorption rate.

Administration: In feed:

Cattle & Swine: 2 kg per ton of feed. Poultry: 2 to 2.5 kg per ton of feed. (or) as advised by a veterinarian.

Presentation: 25 kg.



PROTIZYME

Enzymes with Probiotics for Cattle, Swiine & Chicken

Composition:

Each 1 kg contains:		
Saccharomyces		
cerevisiae	:	1x10 ¹¹ CFU
Bacillus subtilis	:	1x10 ¹⁰ CFU
Aspergillus oryzae	:	1x10 ¹⁰ CFU
Cellulase	:	5,000 unit
Alpha amylase	:	200,000 unit
Xylanase	:	200 mg
Excipients	:	Q. S.

Advantages :

- Improves the feed efficiency & digestion.
- It promotes the growth, Improves the body weight gain rate.
- Reduces the intestinal ammonia production.
- Improves the immunity.

Administration: In feed: For Cattle, Swine & Chicken: 1 to 2 kg of "PROTIZYME" per metric ton of feed.

(or) as advised by a veterinarian.

Presentation: 25 kg.



SORBISAC

Rumentonic Preparation for Pig, Cattle & Horse

Composition: Each kg contains:			
Calcium phosphate, Dibasic	: 24 gm		
Rumen extract stabilized	: 20 gm		
Dried Yeast	: 200 gm		
Sorbitol	: 20 gm		
Excipients	: Q.S.		

Advantages:

- It improves the feed efficiency & promotes the growth in cattle, horses & swine.
- It promotes the gastrointestinal functions.
- It maintains the normal intestinal flora therefore improves the digestion & prevents the diarrhea & enteritis.

Administration: Mix "SORBISAC" in feed, milk or drinking water and administer as follows.

Swine:

Yeanling pigs: 5-10 gm / animal /day administer everyday from birth to 5 days old. Weanling pigs: 20-30 gm/animal/day administer once or twice.

Cattle, Horses:

Calf, Foal: 20-30 gm/animal/day from birth to 10 days old.

Cattle & Horse (adult): 50-100 gm/animal/ day administer twice a day for 2-3 days. (or) as advised by a veterinarian.

Presentation: 1 kg.



Beatin HCL & Enzymes with Essential Ingredients

Composition:1 Kg contains

eenipeenienin rig ooma		
Betaine HCI	:	100 gm
Cellulase	:	20,000 IU
Protease	:	125,000 IU
Alpha-Amylase	:	100,000 IU
Ascorbic acid	:	100 gm
Tocopherol acetate	:	2,000 IU
Sodium bicarbonate	:	30 gm
Zinc(Zinc Sulphate)	:	1,000 mg
Excipients	:	Q. S.

Advantages:

Maintains the osmotic pressure in the animal body & prevents the dehydration in extreme climatic conditions (intense heat or cold).

- As a supplement of vitamin, mineral with electrolytes to overcome deficiency.
- Prevents the various stress due to high climate or diseases.
- Improves the feed efficiency & the production in poultry.
- Improves the digestive functions.
- Improves the immunity.

Administration: In feed:

Cattle, Horses, Pigs: 0.5 to 1 kg of the "**BETAZYME MIX**" per metric ton of feed.

Poultry : 0.5 to 1 kg of the "**BETAZYME MIX**" per metric ton of feed. (or) as advised by a veterinarian.

Presentation: 10kg (1kg x 10)





CYANARIL

Highly Effective Disinfectant Powder

Composition:

Each kg contains 280 gm NADCC (sodium dichloroisocyanurate)

Advantages:

- Effective against bacteria like Salmonella typhimurium, Brucella ovis.
- Effective against viruses like FMD, ND, Hog Cholera.
- Very safe & can be directly sprayed over the animal body.
- Useful for the disinfecting the live stock, Housing & Husbandary appliances.

Application : Dilute in the water:

In the presence of heavy organisms: Dilute "CYANARIL" 1 kg in 225 liter of water.

In the presence of viruses:

Dilute1 kg "CYANARIL" in 550 to 1000 liter of water.

In the presence of bacteria: Dilute1 kg "CYANARIL" in 225 to 300 liter of water. (or) as advised by a veterinarian

Presentation: 100 gm., 1kg.



DIGI-HERB Liquid

Herbal liquid Preparation To Control Digestive Problems

Composition: Each 1 ltr	contai	ns:
Punica granatum	:	12 gm
Aegle marmelos	:	12 gm
Tinospora cordifolia	:	12 gm
Cyperus rotundus	:	10 gm
Acacia catechu	:	10 gm
Holarrhena antidysentrica	:	8 gm
Salmalia malabrica	:	8 gm
Calotropis procera	:	8 gm
Berberis aristata	:	8 gm
Helicteres isora	:	6 gm
Allium savitum	:	6 gm
DM Water as carrier	:	upto1000 ml

Benefits:

- It prevents & corrects the digestive disorders like diarrhea, dysentery, abdominal pain, vomiting, loss of appetite, digestive diseases caused by bacterial and viral infection etc.
- It has properties like-Astringent, Carminative, Anti-protozoan, - Anti-nauseatic, Antispasmodic, Anti-inflammatory etc.
- It reduces Gastro-intestinal motility.
- It corrects indigestion.
- It has antibacterial activity and immunomodulatory effect.
- It acts as a gastro protectant.
- It corrects hepatic dysfunctions.

Dosage: for 3-5 days: In drinking water **Pig & Poultry:** 1to2 ltr of "**Digi-Herb Liquid**" per 1000 ltr drinking water. (or) as advised by a veterinarian.

Presentation: 5 Ltr.



FIT-WELL

For Better Metabolism, More Health and More Performance

Each 1 liter contains:

Vitamin A	:	4,000,000 IU
Vitamin D ₃	:	800,000 IU
Vitamin E	:	1,600 mg
Vitamin K ₃	:	800 mg
Vitamin B ₁	:	2,000 mg
Vitamin B	:	1,000 mg
Vitamin B	:	1,000 mg
Vitamin B ₁₂	:	1 mg
Vitamin C	:	1,000 mg
Folic acid	:	100 mg
Choline chloride	:	10,000 mg
Lysine	:	500 mg
Methionine	:	500 mg
Magnesium	:	1,000 mg
Calcium	:	2,000 mg
Zinc	:	1,500 mg
Excipients	:	Q.S.

- Indications:
- Supply nutritions for better helth and for better resistance to diseases.
- Prevent and treat vitamin and mineral deficiency.
- Increase appetite and feed intake.
- Increase bio-metabolism and stimulate faster recovery from diseases.
- Improve feed conversion.

Dosage and administration:

Administer via drinking water. **Poultry:** 0.5 - 1 Ltr per ton of drinking water for 3-4 days.

Pigs: Weaners (0.5 -1 ml per head per day), Growers (1-2 ml per head per day), adults (2-4 ml) per head per day)

Cattle: Calves (2-4 ml per head per day), dairy cows (10-20 ml per head per day) beef cows (6-10 ml per head per day)

Presentation: 5 Ltr.

Benefits:



Breath-Herb

BREATH-HERB

Liquid & Powder

Herbal Liquid Preparation to Control Respiratory problems

Composition:Each 1 I	tr	contains:
Adhatoda vasica	:	10 gm
Ephedra gerardiana	:	6 gm
Hedychium spicatium	:	6 gm
Solanum xanthocarpum	:	6 gm
Cassia occidentalis	:	6 gm
Saussurea lappa	:	6 gm
Alpinia kulanjana	:	6 gm
Terminalia bellirica	:	6 gm
Glycyrhiza glabra	:	6 gm
Eucalyptus globules	:	4 gm
Achorus calamus	:	4 gm
Abies webbiana	:	4 gm
Calotropis procera	:	5 gm
Pistacia integerrima	:	5 gm
Zingiber officinalis	:	6 gm
Piper nigrum	:	4 gm
Piper longum	:	4 gm
Ocimum sanactum	:	6 gm
DM Water as carrier	:	upto 1000 ml

- "Breath-Herb-liquid" contains selective herbs having functional properties which are useful to treat respiratory problems.
- It acts as an expectorant to relieve Coughing, Sneezing, Sinusitis, Laryngitis, Pharyngitis etc.
- Helps to strengthen the immune system.
- Helps to excrete mucus thereby it keeps the respiratory tract clean.
- Helps to fight against respiratory disorders like influenza, CRD, viral and bacterial sinus infections and other disorders of respiratory system.
- Regular use of "Breath-Herb-liquid" maintains respiratory system to function well in poultry birds. Also it keeps the lungs clear and prevents upper respiratory tract discomforts and possibilities of secondary infections.
- Improves FCR & aid better growth.

Dosage: For 3-5 days: In drinking water

Poultry & Pig: 1 to 2 ltr of in "Breath-Herb-liquid" 1000 ltr. of drinking water. For 3-5 days: In feed

Poultry, cattle & Pig: Add 1 to 2 kg of "Breatg-Herbpowder" in 1 ton of feed.

(or) as advised by a veterinarian.

Presentation: 5 Ltr & 5 kg.

SWEETOL

To Improve Appetite in Cattle, Swine & Poultry

Composition:

Each 1 kg contains:	
Saccharin	: 50 %
Citric acid	: 3000 mg
Vitamin E	: 1000 mg
Glucose	: Q. S.
Natural sweetner	: Q.S.

Advantages :

- Increases the appetite therefore increases the feed intake by animal.
- Promotes rapid recovery from diseases & reduces stress.
- Improves the immunity.

- Prevents & Controls diarrhea in young animals.
- It stimulates the secretion of digestive fluids and aids in digestion.
- Improves the digestion & abosorption rate.

Administration: In feed:

Cattle & swine: 200-500 gm per ton of feed.

Poultry: 200-300 gm per ton of feed. (or) as advised by a veterinarian.

Presentation: 1kg., 25 kg.

	• SWE	ETOL	1.
		appetite in the southy	11
	Composition: Each 1 kg contains: Seconaria 50 % Ciline acial 2000 mg Viliamin E 1000 mg Olicrose 0.5	Administration in lead Cattle & swine: 200-500 gm per ten of lead.	
61	Natural seventher 1 Q.S. Advantages : • Increases appetts thandors increases the feed intake by	Poultry: 200-300 gm par test of faced. (1r) as advised by a velamentar.	
- A	aremal. • Promotos the rapid tecowery from diseases & molecus atrass. • Improves the interarchy. • Prevente & Controls damhea in	1 kg.	1
	young animals. • If atimulation the secretion of digestion. • Improves the digestion &		IN.
- 14	abosoption tale	ional Bealth Care Limited	
144	•		12

IRON PRO Sow

For the Prevention of Anemia, Diarrhea, Immuno Modulator and for More Milk in the Sows

Composition: (Each kg contains):

Pseudomonas fluorescence	:	2x10 ⁸ cfu
S.Boularii	:	2x10 ⁸ cfu
Iron compound	:	500 mg
Folic Acid	:	250 mcg
Vit B ₁₂	:	500 mcg
Leptadenia reticulata	:	10 g
Spirulina	:	5 gm
Asparagus ramosus	:	10 g
Elctrolytes:	:	Q.S.
MOS	:	Q.S.

Benefits:

• **IRON-PRO Sow** is an innovative and unique product in the world, which have probiotic strain which hasten the absorption of iron.

- Vit B₁₂, Folic acid and iron also helps to reduce anaemic conditions.
- IRON-PRO Sow have S. Boulardii which have proven anti inflammatory and Immuno modulatory effects.
- With S. Boulardii, IRON-PRO Sow also have MOS to take care toxins and diarrhea.
- Spirulina in IRON-PRO Sow is one of the richest source of Protein and also a raw material for muscle building and antibodies production.
- Herbs in IRON-PRO Sow acts very well during lactation to increase milk let down.

Dosage: In Feed

500g-1 kg per ton of feed every day. (or) as advised by a veterinarian.

Dosage: 5 kg.



IRON PRO *Piglet*

One product 3 Benefits

Composition: (Each kg cont	ains)):
Pseudomonas fluorescence	:	2x10 ⁸ cfu
S.boularii	:	2x10 ⁸ cfu
Iron Compound:	:	100 mg
Folic Acid	:	250 mcg
Vit B ₁₂	:	500 mcg
Spirulina	:	20 g
Holarrhena antidysenterica	:	10 g
Phyllanthus emblica	:	10 g
Dextrose	:	Q.S.
Light Kaolin	:	Q.S.

Benefits:

- IRON PRO Piglet is an innovative and unique product in the world, which have probiotic strain which hasten the absorption of iron.
- Vit B₁₂, Folic acid and iron helps to reduce anaemic conditions.

- IRON PRO Piglet is rich in Dextrose which provide energy source during early days of life.
- IRON PRO Piglet have S. Boulardii which have proven anti inflammatory and Immuno modulatory effects
- With S. boulardii, IRON PRO Piglet also have Light Kaolin to take care toxins and diarrhea.
- Spirulina in IRON PRO Piglet is one of the richest source of Protein and also a raw material for muscule building and antibodies production.
- Herbs in IRON PRO Piglet acts very well during Stressful conditions. Also provide relief in diarrheic conditions.

Dosage: In feed 1 kg / ton of feed (or) as advised by a veterinarian.

Dosage: 5 kg.

