



DESCRIPTION

Its design allows the opening to be kept hidden from the outside, so that it seems impossible to distinguish fixed areas from those which have an opening.

Perfect homogeneity is thus obtained in the aesthetics of the facade.

The classifications achieved in the AEV tests demonstrate the excellent performance in waterproofing, permeability and wind resistance to obtain the highest protection in the most unfavorable climatological situations.

POSSIBILITIES

A view of only 66 mm outside which maximizes the glazing surface, being able to reach 85% glazed of the total of your window.

This characteristic allows an extraordinary gain in light in interior living rooms.

This range of products will now allow you to create your entire home in the most designer finish, adapting to all budgets. We are happy to be able to make this product with minimalist finishes accessible to everyone.

The idea of luxury of today will be the contemporary of tomorrow!

FEATURES






EN 12208:2000 E1500 EN 12207:2000 class A4 EN 12208:2000 class C5 RW Maximum=45dB Uw from 1.3 (W/m^2K) 4.48 m2 / SASH Glazing up to 35 mm H 2800mm / SASH 150 kg / SASH

> Coloring options RAL / TEXTURÉ / ANODISÉ





TECHNICAL SPECIFICATIONS





- 1 Open frame: tilt-and-turn rant
- 2 Options for: minimal frame, centralled handle and locking mechanism
- 3 Fixed frame

- Frame: invisable hinges for sash opening
- 5 Centraled handle with minimalistic sash opening









HANDLE OPTIONS







BazaNova Windows & Facade Solutions — www.baza-nova.com —

YOUR VISION, OUR REALITY!

+359 877 977 045

bazanovaltd@gmail.com www.baza-nova.com