


# Electronic Door Lock

## For Hotel Management System

- \* Material: Body-Zinc Alloy die casting  
Handle-Stainless Steel  
Mortise lock- Stainless steel
- \* Backset: 70 mm
- \* For door thickness: 36-88 mm ( 36-44mm / 45-55mm / 56-66mm / 67-75mm / 76-88mm )
- \* Corrosion resistance: 150 hours Salt Spray Test
- \* CE approved lock sensor & UL listed Mortise Lock
- \* Passed TUV and CNS (Taiwan Firerated 60A Certificate), 1 hour fire rated
- \* Warranty: 1 year

PH602

### RFID Hotel Lock Management System



#### FEATURES:

- \* Reader: Proximity Type
- \* Indication: Green, Red LEDs & Beeper
- \* Card Specification: **Temic Card E5557**
- \* Unlock duration: 6 seconds
- \* Power supply: 6V (1.5V \*4 AA Alkaline Battery)
- \* Low power warning: DC 5.4V (warning for 2 weeks)
- \* Dimension: 306(L)\*68(W)\*23(H) mm
- \* Weight: 3.7 kg
- \* Color: Silver gray / Brown

- \* Hidden screw holes and keyhole
- \* Saving up to 600 records of access
- \* USB high-speed data transfer interface
- \* Spare key available
- \* Emergency card available
- \* Card key type: Guest Card, Emergency Card, Master Card, Maid Card, On-line Card

\* Proximity Card

P602

### RFID Hotel Lock Management System



#### FEATURES:

- \* Reader: Proximity Type
- \* Indication: Green, Red LEDs & Beeper
- \* Card Specification: **Temic Card T5557**
- \* Unlock duration: 6 seconds
- \* Power supply: 6V (1.5V \*4 AA Alkaline Battery)
- \* Low power warning: DC 5.4V (warning for 2 weeks)
- \* Dimension: 283(L)\*80(W)\*82(H) mm
- \* Weight: 5 kg
- \* Color: Silver / Gold

- \* Hidden keyhole
- \* Saving up to 600 records of access
- \* Spare key available
- \* Emergency card available
- \* Card key type: Guest Card, Emergency Card, Master Card, Maid Card, On-line Card

\* Proximity Card

PC-747

PT-10

PS-30

PS-10  
PS-20

GS-10

P602C



\* Software



\* Card Encoder



\* Infrared Terminal



\* Energy saving device



\* Access Control System



For Suite / Inn / Dormitory / Rental House

- \* Material: Body-Zinc Alloy die casting  
Handle-Stainless Steel  
Mortise lock- Stainless steel
- \* Backset: 70 mm
- \* For door thickness: 36-88 mm ( 36-44mm / 45-55mm / 56-66mm / 67-75mm / 76-88mm )
- \* Corrosion resistance: 150 hours Salt Spray Test
- \* CE approved lock sensor & UL listed Mortise Lock
- \* Passed TUV and CNS (Taiwan Firerated 60A Certificate), 1 hour fire rated
- \* Warranty: 1 year

PH302

## RFID Proximity Hotel Lock



\* Proximity Card



### FEATURES:

- \* No computer connecting or wiring required.
- \* Reader: Proximity Type
- \* Indication: Green, Red LEDs & Beeper
- \* Card Specification: **Temic card**
- \* Unlock duration: 6 seconds
- \* Power supply: 6V (1.5V \*4 AA Alkaline Battery)
- \* Low power warning: DC 5.4V (warning for 2 weeks)
- \* Dimension: 306(L)\*68(W)\*23(H) mm
- \* Weight: 3.7 kg
- \* Color: Silver gray / Brown

- \* Hidden screw holes and keyhole
- \* Spare key available
- \* Card key type: Guest Card, Master Card, Maid Card, Guest lock-out Card
- \* Card Capacity: 1 master card could authorize 58 user cards.

P302

## RFID Proximity Hotel Lock



\* Proximity Card



### FEATURES:

- \* No computer connecting or wiring required
- \* Reader: Proximity Type
- \* Indication: Green, Red LEDs & Beeper
- \* Card Specification: **Temic Card**
- \* Unlock duration: 6 seconds
- \* Power supply: 6V (1.5V \*4 AA Alkaline Battery)
- \* Low power warning: DC 5.4V (warning for 2 weeks)
- \* Dimension: 283(L)\*80(W)\*82(H) mm
- \* Weight: 5 kg
- \* Color: Silver / Gold

- \* Hidden keyhole
- \* Spare key available
- \* Card key type: Guest Card, Master Card, Maid Card, Guest lock-out Card

PS-10  
PS-20

GS-10

P100C



45

\* Energy saving device

\* Access Control System




# Electronic Door Lock

For House / Office

- \* Material: Body-Zinc Alloy die casting  
Handle-Stainless Steel  
Mortise lock- Stainless steel
- \* Backset: 70 mm
- \* For door thickness: 36-88 mm ( 36-44mm / 45-55mm / 56-66mm / 67-75mm / 76-88mm )
- \* Corrosion resistance: 150 hours Salt Spray Test
- \* CE approved lock sensor & UL listed Mortise Lock
- \* Passed TUV and CNS (Taiwan Firerated 60A Certificate), 1 hour fire rated
- \* Warranty: 1 year

PH303  
PH303S

## Commercial / Residential RFID Proximity Door Lock



### FEATURES:

- \* Reader: Proximity Type
- \* Indication: Green, Red LEDs & Beeper
- \* Unlock duration: 6 seconds
- \* Low power warning: DC 5.4V (warning for 2 weeks)

- \* Dimension: 306(L)\*68(W)\*23(H) mm
- \* Weight: 3.7 kg
- \* Color: Silver gray / Brown
- \* Hidden screw holes and keyhole
- \* Spare key available



\* Proximity Card

ITEM	PH303	PH303S
Power Supply	DC6V, 1.5V *4 AA Alkaline Battery No computer connecting or wiring required.	DC-12V.1A Power Supply by Wiring Distribution
Card Capacity	20 user cards	500 user cards
Card Type	EM Card	Mifard card

P303  
P303S

## Commercial / Residential RFID Proximity Door Lock



### FEATURES:

- \* Reader: Proximity Type
- \* Indication: Green, Red LEDs & Beeper
- \* Unlock duration: 6 seconds
- \* Low power warning: DC 5.4V (warning for 2 weeks)
- \* Dimension: 283(L)\*80(W)\*82(H) mm
- \* Weight: 5 kg
- \* Color: Silver / Gold
- \* Hidden keyhole
- \* Spare key available

ITEM	P303	P303S
Power Supply	DC6V, 1.5V *4 AA Alkaline Battery No computer connecting or wiring required.	DC-12V.1A Power Supply by Wiring Distribution
Card Capacity	20 user cards	500 user cards
Card Type	EM Card	Mifard card



\* Proximity Card

PS-10  
PS-20

GS-10

P100C



\* Energy saving device

\* Access Control System

For House / Office

## Digital Keypad Intelligent Lock

PH305



### FEATURES:

- \* Material: Body-Zinc Alloy die casting  
Handle-Stainless Steel  
Mortise lock- Stainless steel
- \* Backset: 70 mm
- \* For door thickness: 36-88 mm  
( 36-44mm / 45-55mm / 56-66mm / 67-75mm / 76-88mm )
- \* Corrosion resistance: 150 hours Salt Spray Test
- \* CE approved lock sensor & UL listed Mortise Lock
- \* Passed TUV and CNS (Taiwan Firerated 60A Certificate), 1 hour fire rated
- \* Warranty: 1 year

- \* No computer connecting or wiring required.
- \* Indication: LED lights digital touch panel & Beeper
- \* Detect the Touch panel with 12 sets of key
- \* Unlock duration: adjustable, 1-99 seconds
- \* Power supply: 6V (1.5V \*4 AA Alkaline Battery)
- \* Low power warning: DC 5.4V (warning for 2 weeks)
- \* Dimension: 306(L)\*68(W)\*23(H) mm
- \* Weight: 3.7 kg
- \* Color: Black
- \* Hidden screw holes and keyhole
- \* Spare key available



## Card Key Password Interior Door Lock

PH200



\* Proximity Card



### FEATURES:

- \* Material: Brass Cylinder with PC Panel
- \* Backset: 60 mm
- \* For door thickness: 38mm -58 mm
- \* CE approved
- \* Warranty: 1 year
- \* No computer connecting or wiring required
- \* Reader: Proximity Type
- \* Indication: LED lights digital touch panel & Beeper
- \* Card Specification: Mifare-1 13.56Mhz
- \* Power supply: 6V (1.5V \*4 AA Alkaline Battery)
- \* Low power warning: continuous beeper
- \* Dimension: 140(L)\*60(W)\*30(H) mm
- \* Weight: 0.6 kg
- \* Color: Black
- \* Lock designed for interior door only
- \* Hidden keyhole
- \* Spare key available
- \* Bluetooth function available (BLE)





- A : A4, 9 fl., No. 6 Siwei 3rd Road, Lingya dist., Kaohsiung 80250, TAIWAN
- T : 886-7- 3355235
- F : 886-7- 3356680
- W : <http://secutor.com.tw>  
<http://secutor.en.alibaba.com>
- E : [secutor@ms66.hinet.net](mailto:secutor@ms66.hinet.net)  
[secutor.corp@msa.hinet.net](mailto:secutor.corp@msa.hinet.net)