




THERMAL PAPER ROLLS
THERMAL PAPER



Roltech

MANUFACTURER OF STATIONERY



THERMAL PAPER ROLLS


Thermal paper can be used in a variety of applications such as thermal printers, cash registers, POS systems, taxi meters, vending machines and more. It is a special type of paper that has an invisible chemical coating on its surface. When inserted into a thermal printer, the heat from the print head activates the chemical layer and creates an image. In contrast to regular paper, this process uses heat to print and requires no ribbon or toner.



POS | EC CASH



CASH REGISTER



THERMAL PRINTER

Our company offers a wide range of quality products, available in different sizes, at affordable prices. We are dedicated to providing you with the best solutions for your thermal paper needs. We are always at your disposal to help you find the right product!

STANDARD SIZES OF THERMAL PAPER ROLLS



37MM



56MM



57MM



60MM



76MM



79MM



80MM



110MM



112MM



210MM

THERMAL PAPER ROLLS | WIDTH 37 MM

PRODUCT NAME	PRODUCT ID	WIDTH MM	LENGTH M	ØTUB MM	END MARKER RED LINE	BPA FREE
ROLTECH THERMAL PAPER ROLL	370912XX	37 MM	9 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	371012XX	37 MM	10 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	371212XX	37 MM	12 M	12 MM	✓	✓

THERMAL PAPER ROLLS | WIDTH 56 MM

PRODUCT NAME	PRODUCT ID	WIDTH MM	LENGTH M	ØTUB MM	END MARKER RED LINE	BPA FREE
ROLTECH THERMAL PAPER ROLL	561212XX	56 MM	12 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	561612XX	56 MM	16 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	561812XX	56 MM	18 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	562512XX	56 MM	25 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	563012XX	56 MM	30 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	564012XX	56 MM	40 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	566012XX	56 MM	60 M	12 MM	✓	✓

THERMAL PAPER ROLLS | WIDTH 57 MM

PRODUCT NAME	PRODUCT ID	WIDTH MM	LENGTH M	ØTUB MM	END MARKER RED LINE	BPA FREE
ROLTECH THERMAL PAPER ROLL	571212XX	57 MM	12 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	571612XX	57 MM	16 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	571812XX	57 MM	18 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	572512XX	57 MM	25 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	573012XX	57 MM	30 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	574012XX	57 MM	40 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	576012XX	57 MM	60 M	12 MM	✓	✓

THERMAL PAPER ROLLS | WIDTH 60MM

PRODUCT NAME	PRODUCT ID	WIDTH MM	LENGTH M	ØTUB MM	END MARKER RED LINE	BPA FREE
ROLTECH THERMAL PAPER ROLL	604012XX	60 MM	40 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	605012XX	60 MM	50 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	606025XX	60 MM	60 M	25 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	6015025XX	60 MM	150 M	25 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	6030025XX	60 MM	300 M	25 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	6040025XX	60 MM	400 M	25 MM	✓	✓

THERMAL PAPER ROLLS | WIDTH 76MM

PRODUCT NAME	PRODUCT ID	WIDTH MM	LENGTH M	ØTUB MM	END MARKER RED LINE	BPA FREE
ROLTECH THERMAL PAPER ROLL	763012XX	76 MM	30 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	766012XX	76 MM	60 M	12 MM	✓	✓

THERMAL PAPER ROLLS | WIDTH 79 MM

PRODUCT NAME	PRODUCT ID	WIDTH MM	LENGTH M	ØTUB MM	END MARKER RED LINE	BPA FREE
ROLTECH THERMAL PAPER ROLL	791812XX	79 MM	18 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	793012XX	79 MM	30 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	794012XX	79 MM	40 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	794512XX	79 MM	45 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	795012XX	79 MM	50 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	796012XX	79 MM	60 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	798012XX	79 MM	80 M	12 MM	✓	✓

THERMAL PAPER ROLLS | WIDTH 80 MM

PRODUCT NAME	PRODUCT ID	WIDTH MM	LENGTH M	ØTUB MM	END MARKER RED LINE	BPA FREE
ROLTECH THERMAL PAPER ROLL	801812XX	80 MM	18 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	803012XX	80 MM	30 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	804012XX	80 MM	40 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	804512XX	80 MM	45 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	805012XX	80 MM	50 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	806012XX	80 MM	60 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	808012XX	80 MM	80 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	808025XX	80 MM	80 M	25 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	8010025XX	80 MM	100 M	25 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	8015025XX	80 MM	150 M	25 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	8020025XX	80 MM	200 M	25 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	8030025XX	80 MM	300 M	25 MM	✓	✓

THERMAL PAPER ROLLS | WIDTH 110MM

PRODUCT NAME	PRODUCT ID	WIDTH MM	LENGTH M	ØTUB MM	END MARKER RED LINE	BPA FREE
ROLTECH THERMAL PAPER ROLL	1101812XX	110 MM	18 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	1103012XX	110 MM	30 M	12 MM	✓	✓

THERMAL PAPER ROLLS | WIDTH 112MM

PRODUCT NAME	PRODUCT ID	WIDTH MM	LENGTH M	ØTUB MM	END MARKER RED LINE	BPA FREE
ROLTECH THERMAL PAPER ROLL	1121812XX	112 MM	18 M	12 MM	✓	✓
ROLTECH THERMAL PAPER ROLL	1123012XX	112 MM	30 M	12 MM	✓	✓

THERMAL PAPER ROLLS | WIDTH 210MM

PRODUCT NAME	PRODUCT ID	WIDTH MM	LENGTH M	ØTUB MM	END MARKER RED LINE	BPA FREE
ROLTECH THERMAL PAPER ROLL	2103012XX	210 MM	30 M	12 MM	✓	✓

WITHOUT BISPHENOL (A)



In the thermal paper manufacturing process, bisphenol A is not used. All papers are 100% BPA free safe for frequent handling. They also have the FSC® label for responsible forestry and are manufactured and certified according to standards in force and respect European quality standards.

PREMIUM QUALITY



In the correct storage conditions, the duration the print on our thermal paper standard is up to 10 years. Our rollers have a smooth surface, glossy and does not leave paper dust in printer. And the print is made uniform and clear. The edges of the rolls are cut without lint, with good knives quality.

END MARKER



About half a meter before the end of the roll, a red line on paper indicates that a new roll should be introduced soon.

TECHNICAL PARAMETERS

Thermal paper can vary in size and quality, so when it comes to choosing the right type of thermal paper, you need to have a minimum knowledge of the basic features it possesses. The two main parameters of thermal paper are:



THERMAL PAPER WEIGHT (g/m^2)

Also known as grammage, it is used to describe the mass of paper in a unit of measurement in the metric system. The grammage of a sheet of paper is equivalent to the weight in grams of a one square meter piece of that type of paper. In other words, you can calculate the grammage of a paper by simply taking a square meter of it and then measuring its weight.

The most common thermal paper weights currently available on the market are:
44 g/m² | 48 g/m² | 55 g/m² | 80 g/m²

THERMAL PAPER THICKNESS (μm)

The thickness of a thermal paper is measured in microns. The measurement is done with an instrument called a micrometer.


In general, the thicker the paper, the heavier the paper will be. But in fact, the thickness of a thermal paper differs depending on the raw materials used and the manufacturing process. Therefore, in some cases, a high weight does not mean an equally high thickness.

However, it is possible to estimate the thickness of a thermal paper by knowing its weight:

44 g/m² is equivalent to 51 μm | 48 g/m² is equivalent to 55 μm | 55 g/m² is equivalent to 62 μm | 80 g/m² is equivalent to 83 μm



PERSONALIZED PRODUCTS



We customize the rolls with your company's image.
Create a unique product in a simple way to grow customer satisfaction.

VARIETY OF MODELS AND DIMENSIONS

We produce thermal paper rolls in various other sizes & models.
Benefit from products made according to the requirements
of your.

DUST-RESISTANT AND PROTECTIVE PACKAGING

Our thermal rollers are packed in heat-resistant foil dust and protection in sets of 10 rolls and are delivered in a box,
so that they are protected and resistant to environmental influences, such as: heat, dust, strong light, etc.

Thermal paper should be stored in a dark place at room's temperature.



PERFECT THERMAL PAPER FOR PRINTING INVOICES, VOUCHERS, RECEIPTS, ...

Our paper is used in various industry segments, including:

- hospitality
- retail trade
- convenience stores
- credit card merchants
- banking services
(self-service kiosks and ATMs)
- state/local parking lots
- libraries





Roltech

HARTIE ROLTECH S.R.L.

00 40 744 217 151
00 40 755 866 877



WE SPEAK ENGLISH | ROMANIAN | GERMAN



www.roltech.ro



office@roltech.ro



Str. Calea Nationala nr. 32
710012 Botosani | Romania

