SMA 40-BER | SMA 40-APV

Chamfering Machine, handheld, electric | pneumatic

The handheld chamfering machine for straight internal and external edges, contours and bores cuts very smoothly with low vibration due to the spring technology. The milling cutter quick-change system enables easy setting-up to other chamfer angles.







Straight edges



Contours



Radius milling



Angle adjustment







Further accessories can be found in our Accessory Catalogue.

Applications

- ► Chamfering of flat workpieces made of steel, stainless steel, cast iron, aluminium, brass, and plastic
- ► Chamfering of straight edges and contours, rounding edges
- ► For preparing welding seams
- ► The pneumatic machine provides a duty cycle of 50-70% / h, the electric type varies between 20-60% / h, depends on the material



Features

- Absolutely burr-free cutting
- Clean and consistent processing of component parts and series
- Cutter quick-change system
- Special spring technology saves the
- Long tool life of the cutting inserts (8-times)
- Ergonomic two-hand operation

Options

- Radius cutter and radius inserts from R1.2 - R8 mm
- Cutter heads in various degrees
- Guide stop for straight edges
- 3D- swivel arm

Delivery contents

- Allen key 5 mm
- Torx key T 15
- Tool box
- Operating manual

Technical data

SMA 40-BER ♥

SMA 40-APV •

Motor	1.75 kW 2,000-7,600 rpm	1.75 kW 2,000-7,600 rpm
Energy	230 V, 50/60 Hz	2,400l / min 6-7 bar
Maximum chamfer width	15 mm	15 mm
Cutter head	0°-80°	0°-80°
Guide ball bearing	min. Ø 26.3 mm	min. Ø 26.3 mm
Weight	10 kg	10 kg
Item no.	71471	71981