



SOURCE OF LIFE



# Drinking fountains.

Wall mounted design, attached at any height.

Made entirely from stainless steel, including the internal chassis.









## Series 4

## Ideal for education centres, as the height can be adapted to suit students'ages.

Great hygienic protection through the special shell with anti-vandalism shield. The water jet height can be easily regulated using the high precision membrane valve. Greater hygiene since the push button is separate from the water jet. Easily regulated cold water temperature (thermostat). There is also the possibility to drink with cups for the models with cup fillers.

### Models

#### M-4A


- Cold water jet.
- Push button.

#### M-4ALV

- Cold water jet.
- Push button.
- Cup filler.

#### M-4ASF (ideal for children)

- No cooling system.
- Room temp. water jet.
- Push button.





Installation by means of three basic connection points.

The installation of a purification filter is highly recommended for better water quality.

#### Accessories

There is a specific catalogue for filters.



#### PURIFICATION FILTERS:

It is recommended to install an activated carbon purifying filter to obtain water in optimal condition. Consult options.

Tec	hn	cal	d	at	a
		-	_	-	_

Cooling Power (W)	350
Power consumption (W)	200
Voltage 230V 50Hz single-phase (A) (Consult other options)	0.9
Cooling capacity (Room temp.: 30°C, Input temp.: 27°C, Output temp.: 17°C) (I/h)	30
Water output speed (I/h)	60
Cold water output temperature (Regulated by thermostat) (°C)	4-11
Water tank capacity (I) (Optional: Stainless steel cooling system. Direct chill)	4.5
Refrigerant gas (CFC-free)	R-134a
Dimensions (mm). Height x Width x Depth. Models with LV: +210 mm	525 x 360 x 360
Net weight (kg)	23

#### **HEADQUARTERS AND FACTORY**

Ronda de Llevant, 10 08820 El Prat de Llobregat Barcelona (Spain) T. +34 934 358 546 F. +34 934 350 604

## INTERNET

www.canaletas.es www.canaletas.com infox@canaletas.es



Sorios 1