


TM



BazaNova

Windows & Facade Solutions
— www.baza-nova.com —

CRYSTAL VIEW

BALUSTRADE

CRYSTAL VIEW BALUSTRADE

TECHNICAL SPECIFICS

This guardrail system designs multiple possibilities of installation, glazing or even dimensions all in line with current standards such as Eurocode 1

- Type of installation on slab, slab nose or even possibility of installation flush with the ground.

- Type of puff pastry = compositions: 10 - 1.52 - 10 // 10 - 1.14 - 10 // 10 - 0.76 - 10 // 10 - 0.38 - 10 // 8 - 1.52 - 8 // 8 - 1.14 - 8 // 8 - 0.76 - 8 // 8 - 0.38 - 8 // 6 - 1.52 - 6 // 6 - 1.14 - 6 // 6 - 0.76 - 6 // 6 - 0.38 - 6
We strongly advise against the use of tempered glass

- Installation type INT with PVB // EXT with EVA.

DESCRIPTION

A guardrail that combines safety and high-end design that meets your expectations. This system is designed to ensure maximum protection between your home and the outside world. Generally placed on your terrace, balcony, poolside or even solarium, it adapts to your environment without any difficulty. We do everything we can to make it as transparent as possible with xing points with an ultra minimalist look.

TESTS

Tests according to standards UNE 85237, UNE 85238 and UNE 85240 and requirements set out in Eurocode 1 according to EN 1991-1-1.1

- Horizontal static test towards the outside²

- Horizontal static test towards the inside³

- Dynamic soft body test⁴

- Dynamic hard body test⁵

- Verification of the specifications of Eurocode 1 according to table 6.12 for the usage categories of 3 kN/m. CLASSIFICATION ACCORDING TO


STANDARD UNE 85240: Class A - EXCELLENT

Reference test glass railing in extruded aluminum and placed on the nose of a slab measuring 1100 mm (H) x 1500 mm (L) Reference test for glazed railing in extruded aluminum and placed on a slab measuring 1100 mm (H) x 1500 mm (L).




TECHNICAL FIT


1. Installation on wall




2. Installation in exterior surface




3. Installation on wall offset installation



4. Offset surface-mounted installation



5. Indoor surface-mounted installation





BazaNova

Windows & Facade Solutions
— www.baza-nova.com —

YOUR VISION, OUR REALITY!

+359 877 977 045

bazanovaltd@gmail.com

www.baza-nova.com