



TM



BazaNova
Windows & Facade Solutions
— www.baza-nova.com —

RS PLUS
ROLLER SHUTTERS

RS PLUS

ROLLER SHUTTERS



DESCRIPTION

Our RS PLUS comes in three sizing options of the slats - 39mm, 40mm, 70mm which gives us the opportunity to support you with innovative solutions adapted to the architecture of your home.

Our Aluminum roller shutters are suitable for windows and most also particularly for large-scale joinery, offering a qualitative and secure result.

We guide you on the uses among carefully designed models, which will adapt to your living spaces, whether it is a new construction or a renovated property.

Comfortable use and possibility of motorization, radio frequencies as well as control from your phone app.

Aluminum being an extremely robust material, it does not deform or deteriorate over time. Opting for these roller shutters will allow you to save money by choosing a safe and almost indestructible material!

Dimensions:
50mmx22mm



Dimensions:
53mmx22mm




Wind resistance in accordance with EN13659	Largeur max. du tablier, m	Surface maximale, m ²
Classes of wind load resistance according to EN13659	Max. curtain width, m	Max. curtain surface area, m ²
1	3,23	9,69
2	3,01	9,03
3	2,55	7,65
4	2,18	6,54
5	1,94	5,82
6	1,79	5,37

RS PLUS COLORING OPTIONS

Coloris • Colour		Code RAL
	blanc / white	9016
	brun / brown	8014
	gris / grey	7038
	beige / beige	
	rouge pourpre / purple red	3004
	alu argenté / silver	9006
	noir / black	9011
	anthracite / anthracite	7016
	vert sapin / green fir	6009
	chêne doré / golden oak	
	jaune / yellow	1007
	crème / cream	9001
	brun foncé / dark brown	8019
	ivoire claire / light ivory	1015
	beige foncé / dark beige	1019
	vert mousse / green moss	6005
	bleu foncé / dark blue	5011
	chêne irlandais / Irish oak	
	merisier / black cherry	
	noyer / nut	

TECHNOLOGY



ROLLER SHUTTER AND MOTORIZATION CONTROL SYSTEMS

The choice of roller shutter control system depends on the requirements of management comfort, dimensions and weight of the roller shutter apron.

RADIO CONTROL SYSTEMS

Managing RS PLUS using remote controls. The range of devices includes mini remote controls (shaped like key rings), multi-channel portable remote controls with the possibility of wall mounting, wall controls with astronomical shutter opening/closing program

AUTOMATIC TRIGGER

A radio-controlled timer or light sensor can ensure that at the right time all the shutters in the house close for the night or let in sunlight in the morning.

THE MOTORIZATION OF ROLLING SHUTTERS

A large selection of automatic devices for RS PLUS control for increased comfort

GROUP MANAGEMENT

Saving time for opening/closing each roller shutter. The remote control will allow you to control each roller shutter individually, as well as all the shutters in the room or house together.

QUICK REMOTE CONTROL


A mini remote control in the shape of a key ring will allow you to quickly close the shutters directly from the car when leaving.

MOTORIZATION POSSIBILITIES


The motorization of a roller shutter is an important part of our system. Due to their qualities and possibilities, our engine allows us to produce parts weighing up to 180 kg per apron. This is possible thanks to a torque that can reach 400 Nm. In addition, we offer you up-to-date possibilities with our connected solutions. In fact, our roller shutters are equipped with a secure dynamic code. Which makes our RS Plus anti-reaction system a reference in the field of security.

ENGINE ADVANTAGE

somfy. "non-standard" operating conditions – low temperatures -25° / 75° up to 400 Nm



Wall controller



Radio controlled



Automation





BazaNova

Windows & Facade Solutions
— www.baza-nova.com —

YOUR VISION, OUR REALITY!

+359 877 977 045

bazanovaltd@gmail.com

www.baza-nova.com